Author Index

ACUÑA P. G.H. and WILMAN D. Some effects of added phosphorus on perennial ryegrass–white clover swards 416
ADAMSON A.H. *see* GIVENS D.I.
ARMSTRONG R.H., BEATTIE M.M. and ROBERTSON E. Intake and digestibility of components of forage rape (*Brassica napus*) by sheep 410
ASHBELL G. *see* WEINBERG Z.G.
ATZEMA A.J. The effect of the weather on the drying rate of cut diploid and tetraploid perennial ryegrass (*Lolium perenne* L.) and diploid hybrid ryegrass (*Lolium perenne* × *L. multiflorum*) 362
AZRIELI A. *see* WEINBERG Z.G.

BEATTIE M.M. *see* ARMSTRONG R.H.
BELLO M.R. *see* CHIY P.C.
BROAD H.J. and HOUGH M.N. The growing and grazing season in the United Kingdom 26
BRUKENTAL I. *see* WEINBERG Z.G.
BUXTON D.R. and LENTZ E.M. Performance of morphologically diverse orchardgrass clones in spaced and sward plantings 336

CACHO O.J. A practical equation for pasture growth under grazing 387
CAMPLING R.C. *see* LEAVER J.D.
CHAMBERLAIN D.G. *see* CHOUNG J.-J.
CHIY P.C. and PHILLIPS C.J.C. Sodium fertilizer application to pasture. 1. Direct and residual effects of pasture production and composition 189
CHIY P.C. and PHILLIPS C.J.C. Sodium fertilizer application to pasture. 4. Effects on mineral uptake and the sodium and potassium status of steers 260
CHIY P.C., PHILLIPS C.J.C. and BELLO M.R. Sodium fertilizer application to pasture. 2. Effects on dairy cow production and behaviour 203
CHIY P.C., PHILLIPS C.J.C. and OMED H.M. Sodium fertilizer application to pasture. 3. Rumen dynamics 249
CHOUNG J.-J. and CHAMBERLAIN D.G. Effects of addition of lactic acid and post-ruminal supplementation with casein on the nutritional value of grass silage for milk production in dairy cows 380
CLELAND A.T. *see* SWIFT G.
COLBOURN P. *see* MYTTON L.R.
CRAWFORD C.E. *see* DOUGLAS J.T.
CRESSWELL A. *see* MYTTON L.R.

DALRYMPLE L.W. *see* SHELBY R.A.
DAVIES D.A., FOTHERGILL M. and MORGAN C.T. Assessment of contrasting perennial ryegrasses, with and without white clover, under continuous sheep stocking in the uplands. 5. Herbage production, quality and intake in years 4–6 213
see also FOTHERGILL M.
DAVIES O.D. and HAIGH P.M. A comparison of formic acid and an acid-salt type additive on the performance of dairy cows in early lactation 64
DEETZ D.A., HARRISON J.H. and EVANS D.W. Impact of non-corrosive forage stabilizer on chemical composition and storage characteristics of lucerne hay 317
DOUGLAS J.T. and CRAWFORD C.E. The response of a ryegrass sward to wheel traffic and applied nitrogen 91

EVANS D.W. *see* DEETZ D.A.

FITZSIMMONS J. *see* VIPOND J.E.
FOTHERGILL M. and DAVIES D.A. White clover contribution to continuously stocked sheep pastures in association with contrasting perennial ryegrasses 369
see also DAVIES D.A.

GABRIËLS P.C.J. and VAN DEN BERG J.V. Calibration of two techniques for estimating herbage mass 329
GIVENS D.I., MOSS A.R. and ADAMSON A.H. Influence of growth stage and season on the energy value of fresh herbage. 1. Changes in metabolizable energy content 166
GIVENS D.I., MOSS A.R. and ADAMSON A.H. Influence of growth stage and season on the energy value of fresh herbage. 2. Relationships between digestibility and metabolizable energy content and various laboratory measurements 175

HAIGH P.M. *see* DAVIES O.D.
HARRISON J.H. *see* DEETZ D.A.
HAYES M.J. *see* WILLIAMS E.D.
HENDERSON A.R. *see* SELMER-OLSEN I.
HIDES D.H., KUTE C.A. and MARSHALL A.H. Seed development and seed yield potential of Italian ryegrass (*Lolium multiflorum* Lam.) populations 181
see also HOLLINGTON P.A., MARSHALL A.H.
HIGUCHI S. *see* PASUMARTY S.V.
HIRSCHBERG S.W. *see* MORRIS S.T.
HOLLINGTON P.A., MARSHALL A.H. and HIDES D.H. The effect of row spacing and cover-crop on stolon development and the seed yield components of white clover cultivars of contrasting leaf size 1
see also MARSHALL A.H.
HOUGH M.N. *see* BROAD H.J.
HUHTANEN P. The effects of concentrate energy source and protein content on milk production in cows given grass silage *ad libitum* 347
HUHTANEN P. and JAAKKOLA S. The effects of forage preservation method and proportion of concentrate on digestion of cell wall carbohydrates and rumen digestion pool size in cattle 155
see also JAAKKOLA S.
HUMPHREYS M.O. *see* JONES M.LL.
HUNTER E.A. *see* SWIFT G.
see also VIPOND J.E.

JAAKKOLA S. and HUHTANEN P. The effects of

forage preservation method and proportion of concentrate on nitrogen digestion and rumen fermentation in cattle 146
see also HUHTANEN P.
JONES M.LL. and HUMPHREYS M.O. Progress in breeding interspecific hybrid ryegrasses 18
JUNG G.A. and SHAFFER J.A. Component yields and quality of binary mixtures of lucerne and perennial, Italian or short rotation hybrid ryegrasses 118

KUTE C.A. *see* HIDES D.H.

LAVENDER R.H. *see* SHELDRICK R.D.
LAWS J.A. A comparison of the output from permanent swards containing clover or receiving nitrogen fertilizer when continuously grazed by ewes and lambs 238
LEAVER J.D. and CAMPLING R.C. The effect of offering a brewers grains/treated straw supplement to grazing dairy cows 101
LENTZ E.M. *see* BUXTON D.R.

McCLELLAND T.H. *see* SWIFT G.
see also VIPOND J.E.
McCUTCHEON S.N. *see* MORRIS S.T.
McGINN R. *see* SELMER-OLSEN I.
MARSHALL A.H., HOLLINGTON P.A. and HIDES D.H. Spring defoliation of white clover seed crops. 1. Inflorescence production of contrasting white clover cultivars 301
MARSHALL A.H., HOLLINGTON P.A. and HIDES D.H. Spring defoliation of white clover seed crops. 2. Potential harvestable seed yield and seed yield components of contrasting white clover cultivars 310
see also HIDES D.H., HOLLINGTON P.A.
MARTYN T.M. *see* SHELDRICK R.D.
MATSUMURA T. *see* PASUMARTY S.V.
MERCHANT M. The potential for control of the soft rush (*Juncus effusus*) in grass pasture by grazing goats 395
MEREDITH R.H. and WARBOYS I.B. Accelerated drying of cut lucerne (*Medicago sativa* L.) by chemical treatments based on inorganic potassium salts or alkali metal carbonates 126
MICHEL A. *see* MORRIS S.T.
MILNE J.A. *see* SWIFT G.
see also VIPOND J.E.
MISSELBROOK T.H. *see* REES Y.J.
MOLINA-CANO J.L. *see* ROYO C.
MONTESINOS E. *see* ROYO C.
MORGAN C.T. *see* DAVIES D.A.
MORRIS S.T., HIRSCHBERG S.W., MICHEL A., PARKER W.J. and McCUTCHEON S.N. Herbage intake and liveweight gain of bulls and steers continuously stocked at fixed sward heights during autumn and spring 109
MOSS A.R. *see* GIVENS D.I.
MYTTON L.R., CRESSWELL A. and COLBOURN P. Improvement in soil structure associated with white clover 84

OMED H.M. *see* CHIY P.C.

PAIN B.F. *see* REES Y.J.
PARKER W.J. *see* MORRIS S.T.
PASUMARTY S.V., MATSUMURA T., HIGUCHI S. and YAMADA T. Causes of low seed set in white clover (*Trifolium repens* L.) 79
PHILLIPS C.J.C. *see* CHIY P.C.
PHILLIPS V.R. *see* REES Y.J.

REES Y.J., PAIN B.F., PHILLIPS V.R. and MISSELBROOK T.H. The influence of surface and sub-surface application methods for pig slurry on herbage yields and nitrogen recovery 38
ROBERTSON E. *see* ARMSTRONG R.H.
ROBERTSON S. *see* SELMER-OLSEN I.
ROYO C., MONTESINOS E., MOLINA-CANO J.L. and SERRA J. Triticale and other small grain cereals for forage and grain in Mediterranean conditions 11

SELMER-OLSEN I., HENDERSON A.R., ROBERTSON S. and McGINN R. Cell wall degrading enzymes for silage. 1. The fermentation of enzyme-treated ryegrass in laboratory silos 45
SELMER-OLSEN I., HENDERSON A.R., ROBERTSON S. and McGINN R. Cell wall degrading enzymes for silage. 2. Aerobic stability of enzyme-treated laboratory silages 55
SERRA J. *see* ROYO C.
SHAFFER J.A. *see* JUNG G.A.
SHELBY R.A. and DALRYMPLE L.W. Long-term changes of endophyte infection in tall fescue stands 356
SHELDRICK R.D., LAVENDER R.H. and MARTYN T.M. Management options for increasing white clover contents of swards, without resowing 223
SWIFT G., VIPOND J.E., McCLELLAND T.H., CLELAND A.T., MILNE J.A. and HUNTER E.A. A comparison of diploid and tetraploid perennial ryegrass and tetraploid ryegrass/white clover swards under continuous sheep stocking at controlled sward heights. 1. Sward characteristics 279
see also VIPOND J.E.

THOMPSON L. The influence of the radiation environment around the node on morphogenesis and growth of white clover (*Trifolium repens*) 271

VAN DEN BERG J.V. *see* GABRIËLS P.C.J.
VIPOND J.E., SWIFT G., McCLELLAND T.H., FITZSIMONS J., MILNE J.A. and HUNTER E.A. A comparison of diploid and tetraploid perennial ryegrass and tetraploid ryegrass/white clover swards under continuous sheep stocking at controlled sward heights. 2. Animal production 290
see also SWIFT G.

WARBOYS I.B. *see* MEREDITH R.H.
WEINBERG Z.G., ASHBELL G., AZRIELI A. and BRUKENTAL I. Ensiling peas, ryegrass and wheat with additives of lactic acid bacteria (LAB) and cell wall degrading enzymes 70
WILLIAMS E.D. and HAYES M.J. Growth and colonization of a range of white clover cultivars strip-seeded into an upland perennial ryegrass sward 136
WILLIAMS S.P. *see* WILMAN D.
WILMAN D. and WILLIAMS S.P. A comparison of grass/white clover and grass silages offered to dairy cows as the sole feed 231
see also ACUÑA P. G.H.

YAMADA T. *see* PASUMARTY S.V.